



Unlimited New View



Product Quick Guide

2026 | UNIVIEW

UNV Customer Service Center
800 860 7999

24-Hour, Monday to Friday (Except for 8PM-12PM Friday, EST)

Global: [uniview.com/us/](https://global.uniview.com/us/)

Tech Support Email: techsupport@uniview.com

WhatsApp: +86 173 6707 4438 (Chat Only)

Messenger: Uniview TSTeam

Pre-Sales Email: North-america@uniview.com

Cloud Managed Switch

Effortlessly Manage with
UNV Cloud Manage Switch NSW2100 & NSW3000 Series



Remote Access - App & Web

Support cloud management, simpler installation, easier operation and maintenance.



Remote Reboot

PoE ports support single-port remote reboot and one-click IP camera reboot. Save time, cut cost.

4, 8, 16 & 24 Ports • Fast & Gigabit Ethernet

NSW3000-8T2GT-POE-IN
NSW3000-16T1GT1GC-POE-IN
NSW3000-24T1GT1GC-POE-IN
NSW3000-17GT1GP1GC-POE-IN
NSW3000-25GT1GP1GC-POE-IN



NSW2100-6GT-POE-IN
NSW2100-9GT1GP-POE-IN
NSW2100-17GT1GP1GC-POE-IN
NSW2100-25GT1GP1GC-POE-IN

Add, view, and manage all your IP cameras and
NVRs with UNV Cloud Managed Switch.
Simplify your projects like never before.



IP Camera



Series	Image	Model Name	Res.	Lens	MIC	SPK	Features
Sharp		IPC324SR-ADF28(40)KM-H3(H)	4MP	2.8/4.0mm, Fixed	●	/	IR (98ft), Starlight, UMD
		IPC325SR-ADF28(40)KM-H3(H)	5MP		●	/	
		IPC328SR-ADF28(40)KM-H3(H)	8MP		●	/	
		IPC3614SR-ADF28(40)KM-H3(H)	4MP		●	/	
		IPC3615SR-ADF28(40)KM-H3(H)	5MP		●	/	
		IPC3618SR-ADF28(40)KM-H3(H)	8MP		●	/	
		IPC2124SR-ADF28(40)KM-H3(H)	4MP	2.8-12mm, Motorized	●	/	IR (164ft), Starlight, UMD
		IPC2125SR-ADF28(40)KM-H3(H)	5MP		●	/	
		IPC2128SR-ADF28(40)KM-H3(H)	8MP		●	/	
		IPC2324SR5-ADZK-H	4MP		●	/	IR (164ft), Starlight, UMD
		IPC2325SR5-ADZK-H	5MP		●	/	
		IPC3534SR4-ADZK-H	4MP		●	/	
		IPC3535SR4-ADZK-H	5MP		●	/	IR (131ft), Starlight, UMD
		IPC3634SR4-ADZK-H	4MP		●	/	
		IPC3635SR4-ADZK-H	5MP		●	/	
Sharp Dual Light		IPC2124SR-ADF28(40)KMC-DL-H	4MP	2.8/4.0mm, Fixed	●	●	IR (98ft) + White Light (98ft), Starlight, UMD
		IPC2128SR-ADF28(40)KMC-DL-H	8MP		●	●	
		IPC3614SR-ADF28(40)KMC-DL-H	4MP		●	●	
		IPC3618SR-ADF28(40)KMC-DL-H	8MP		●	●	
OwlView		IPC3624SR-ADF28(40)KM-WP	4MP	2.8/4.0mm, Fixed	●	/	White Light (98ft), OwlView (24/7 Color), UMD, SIP Lite
		IPC3628SR-ADF28(40)KM-WP	8MP		●	/	
		IPC2314SR-ADF28(40)KM-WP	4MP		●	/	
		IPC2318SR-ADF28(40)KM-WP	8MP		●	/	
		IPC3524SR-ADF28KM-WP	4MP	2.8mm, Fixed	●	/	
		IPC3528SR-ADF28KM-WP	8MP		●	/	
OwlView Plus		IPC2B14SE-ADF28(40)K-WP-I1	4MP	2.8/4.0mm, Fixed	●	/	White Light (131ft), OwlView Plus (24/7 Color), UMD, SIP, Face Capture, People Counting, ASM, Color Retrieval
		IPC2B18SE-ADF28(40)K-WP-I1	8MP		●	/	
		IPC3634SE-ADF28(40)K-WP-I1	4MP		●	/	White Light (98ft), OwlView Plus (24/7 Color), UMD, SIP, Face Capture, People Counting, ASM, Color Retrieval
		IPC3638SE-ADF28(40)K-WP-I1	8MP		●	/	
SmartSense		IPC2124SB-ADF28(40)KM-I0	4MP	2.8/4.0mm, Fixed	●	/	IR (131ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC2125SB-ADF28(40)KM-I0	5MP		●	/	
		IPC2128SB-ADF28(40)KM-I0	8MP		●	/	
		IPC324SB-DF28(40)K-I0	4MP		/	/	IR (98ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC325SB-DF28(40)K-I0	5MP		/	/	
		IPC328SB-ADF28(40)K-I0	8MP		●	/	

IP Camera



Series	Image	Model Name	Res.	Lens	MIC	SPK	Features
SmartSense		IPC3614SB-ADF28(40)KM-I0	4MP	2.8/4.0mm, Fixed	●	/	IR (98ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC3615SB-ADF28(40)KM-I0	5MP		●	/	
		IPC3618SB-ADF28(40)KM-I0	8MP		●	/	
		IPC2324SB-DZK-I0	4MP	2.7-13.5mm, Motorized	/	/	IR (164ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC2325SB-DZK-I0	5MP		/	/	
		IPC2328SB-DZK-I0	8MP	2.8-12mm, Motorized	/	/	
		IPC3234SB-ADZK-I0	4MP	2.7-13.5mm, Motorized	●	/	IR (131ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC3235SB-ADZK-I0	5MP		●	/	
		IPC3238SB-ADZK-I0	8MP	2.8-12mm, Motorized	●	/	
		IPC3634SB-ADZK-I0	4MP	2.7-13.5mm, Motorized	●	/	
		IPC3635SB-ADZK-I0	5MP		●	/	
		IPC3638SB-ADZK-I0	8MP	2.8-12mm, Motorized	●	/	
		IPC354SB-ADNF28K-I0	4MP	2.8mm, Fixed	●	/	Indoor, IR (98ft), Starlight, UMD, SIP, Face Capture, People Counting, Cable-free
		IPC3534SB-ADNZK-I0	4MP	2.7-13.5mm, Motorized	●	/	IR (98ft), Starlight, UMD, SIP, Face Capture, People Counting, Cable-free
SmartSense Dual Light		IPC2124SB-ADF28(40)KM-DL-I1	4MP	2.8/4.0mm, Fixed	●	/	IR (131ft)+White Light(131ft), UMD, SIP, Face Capture, People Counting
		IPC2126SB-ADF28(40)KM-DL-I1	6MP	2.8/4.0mm, Fixed	●	/	
		IPC2128SB-ADF28(40)KM-DL-I1	8MP	2.8/4.0mm, Fixed	●	/	
		IPC324SB-ADF28(40)KM-DL-I1	4MP	2.8/4.0mm, Fixed	●	/	IR (98ft)+White Light(98ft), UMD, SIP, Face Capture, People Counting, Alarm I/O, Audio I/O
		IPC326SB-ADF28(40)KM-DL-I1	6MP	2.8/4.0mm, Fixed	●	/	
		IPC328SB-ADF28(40)KM-DL-I1	8MP	2.8/4.0mm, Fixed	●	/	
		IPC3614SB-ADF28(40)KM-DL-I1	4MP	2.8/4.0mm, Fixed	●	/	IR (98ft)+White Light(98ft), UMD, SIP, Face Capture, People Counting
		IPC3616SB-ADF28(40)KM-DL-I1	6MP	2.8/4.0mm, Fixed	●	/	
		IPC3618SB-ADF28(40)KM-DL-I1	8MP	2.8/4.0mm, Fixed	●	/	
		IPC2324SB-ADZKM-DL-I1	4MP	2.7-13.5mm, Motorized	●	/	IR (197ft)+White Light(197ft), UMD, SIP, Face Capture, People Counting, Alarm I/O, Audio I/O
		IPC2326SB-ADZKM-DL-I1	6MP		●	/	
		IPC2328SB-ADZKM-DL-I1	8MP		●	/	
		IPC3234SB-ADZKM-DL-I1	4MP		●	/	
		IPC3236SB-ADZKM-DL-I1	6MP		●	/	
		IPC3238SB-ADZKM-DL-I1	8MP		●	/	
		IPC3634SB-ADZKM-DL-I1	4MP		●	/	IR (131ft)+White Light(131ft), UMD, SIP, Face Capture, People Counting, Alarm I/O, Audio I/O
		IPC3636SB-ADZKM-DL-I1	6MP		●	/	
		IPC3638SB-ADZKM-DL-I1	8MP		●	/	
SmartSense 2.0		IPC2B15SS-ADF28K-I1	5MP	2.8/4.0mm, Fixed	●	/	IR (262ft), Starlight, UMD, Color Retrieval, SIP, Face Capture, People Counting, ASM, Alarm I/O, Audio I/O
		IPC2B18SS-ADF28K-I1	8MP		●	/	

IP Camera



Series	Image	Model Name	Res.	Lens	MIC	SPK	Features
SmartSense 2.0		IPC324SS-ADF28K-I1	4MP	2.8/4.0mm, Fixed	●	/	IR (131ft), Starlight, UMD, Color Retrieval, SIP, Face Capture, People Counting, ASM, Alarm I/O, Audio I/O
		IPC325SS-ADF28K-I1	5MP		●	/	
		IPC328SS-ADF28K-I1	8MP		●	/	
		IPC3634SS-ADF28K-I1	4MP	2.8mm, Fixed	●	/	IR (131ft), Starlight, UMD, SIP, Face Capture, People Counting, ASM, Color Retrieval, Alarm I/O, Audio I/O
		IPC3635SS-ADF28K-I1	5MP		●	/	
		IPC3638SS-ADF28K-I1	8MP		●	/	
		IPC3515SS-ADF28K-I1-HI	5MP		●	/	IR (131ft), Starlight, UMD, SIP, Face capture, People Counting, ASM, Color Retrieval, Alarm I/O, Audio I/O, 1 HDMI
		IPC3634SS-ADZK-I1	4MP	2.7-13.5mm, Motorized	●	/	IR (131ft), Starlight, UMD, SIP, Face Capture, People Counting, ASM, Color Retrieval
		IPC3635SS-ADZK-I1	5MP		●	/	
		IPC3734SS-ADZK-I1	4MP		●	/	
		IPC3735SS-ADZK-I1	5MP		●	/	
		IPC2B24SS-ADZK-I1	4MP		●	/	IR (197ft), Starlight, UMD, SIP, Face Capture, People Counting, ASM, Color Retrieval
IPC2B25SS-ADZK-I1		5MP	●		/		
Tri-Guard 1.0+		IPC2124SB-ADF28(40)KMC-I1	4MP	2.8/4.0mm, Fixed	●	●	IR (131ft)+White Light (131ft), Wise-ISP, UMD, SIP, Face Capture, People Counting, Active Deterrence
		IPC2126SB-ADF28(40)KMC-I1	6MP		●	●	
		IPC2128SB-ADF28(40)KMC-I1	8MP		●	●	
		IPC3614SB-ADF28(40)KMC-I1	4MP		●	●	IR (98ft)+White Light (98ft), Wise-ISP, UMD, SIP, Face Capture, People Counting, Active Deterrence
		IPC3616SB-ADF28(40)KMC-I1	6MP		●	●	
		IPC3618SB-ADF28(40)KMC-I1	8MP		●	●	
		IPC314SB-ADF28KMC-DL-I1	4MP	2.8mm, Fixed	●	●	IR (98ft), Wise-ISP, UMD, SIP, Face Capture, People Counting
		IPC318SB-ADF28KMC-DL-I1	8MP		●	●	
	Tri-Guard 2.0		IPC2B14SS-ADF28KMC-I1	4MP	2.8mm, Fixed	●	●
IPC2B15SS-ADF28KMC-I1			5MP	●		●	
IPC2B18SS-ADF28KMC-I1			8MP	●		●	
		IPC3634SS-ADF28KMC-I1	4MP	●		●	IR (98ft)+White Light (98ft), Starlight, UMD, SIP, Face Capture, People Counting, Color Retrieval, Active Deterrence(red & blue warning light), Auto Scene Match (ASM)
		IPC3635SS-ADF28KMC-I1	5MP	●		●	
		IPC3638SS-ADF28KMC-I1	8MP	●		●	
		IPC3K28SE-ADF28KMC-DL-I0	2*4MP		●	●	IR (98ft)+White Light (98ft), Starlight, UMD, SIP, People Counting, Color Retrieval, Auto Scene Match (ASM)
Tri-Guard 3.0		IPC2B14SE-ADF28(40)KMC-WP-I1	4MP	2.8/4.0mm, Fixed	●	●	IR (131ft)+White Light (131ft), Wise-ISP Technology (24/7 Color), UMD, SIP, Face Capture, People Counting, Color Retrieval, Active Deterrence(red & blue warning light), Auto Scene Match (ASM), NEMA 4X
		IPC2B18SE-ADF28(40)KMC-WP-I1	8MP		●	●	
		IPC3634SE-ADF28(40)KMC-WP-I1	4MP		●	●	IR (98ft)+White Light (98ft), Wise-ISP Technology (24/7 Color), UMD, SIP, Face Capture, People Counting, Color Retrieval, Active Deterrence(red & blue warning light), Auto Scene Match (ASM), NEMA 4X
		IPC3638SE-ADF28(40)KMC-WP-I1	8MP		●	●	
		IPC2B14SE-ADZKMC-WP-I1	4MP	2.8-12mm, Motorized	●	●	IR (131ft)+White Light (131ft), Wise-ISP Technology (24/7 Color), UMD, SIP, Face Capture, People Counting, Color Retrieval, Active Deterrence(red & blue warning light), Auto Scene Match (ASM), NEMA 4X
		IPC2B18SE-ADZKMC-WP-I1	8MP		●	●	
		IPC3634SE-ADZKMC-WP-I1	4MP		●	●	IR (98ft)+White Light (98ft), Wise-ISP Technology (24/7 Color), UMD, SIP, Face Capture, People Counting, Color Retrieval, Active Deterrence(red & blue warning light), Auto Scene Match (ASM), NEMA 4X
		IPC3638SE-ADZKMC-WP-I1	8MP		●	●	

IP Camera




Series	Image	Model Name	Res.	Lens	MIC	SPK	Features
MultiView		IPC8645EA-ADZKM-I1	4*5MP	2.7-13.5mm, Motorized	●	/	IR (164ft), Starlight, UMD, SIP, Face Capture, People Counting
		IPC3224SS-ADF28K-I1	2*4MP	2.8mm, Fixed	●	/	IR (131ft), Starlight, UMD, SIP, Face Capture, People Counting
OmniView		IPC86CEB-AF18KC-I0	12MP	1.8mm, Fixed	●	●	IR (49ft), SIP, Heat Map, Built-in Dewarping
		IPC816SB-ADF16KMC-I1	6MP	1.6mm, Fixed	●	●	IR (49ft), SIP, Heat Map, Built-in Dewarping
		IPC876SE-ADF20KMC-I1	6MP	2.0mm, Fixed	●	●	IR (49ft), SIP, Corner View
		IPC2105SB-ADF16KM-I0	5MP	1.68mm, Fixed	●	/	IR(66ft), Starlight, UMD, SIP, 180° Wide View
		IPC2108SB-ADF16KM-I0	8MP		●	/	
		IPC3605SB-ADF16KM-I0	5MP		●	/	
		IPC3608SB-ADF16KM-I0	8MP		●	/	
		IPC2K24SE-ADF40KMC-WL-I0	2*2MP	4.0mm, Fixed	●	●	White Light (98ft), 24/7 Color View, Dual-lens, Human Body Detection, Dual-way Talk
		IPC2K28SE-ADF40KMC-WL-I0	2*4MP		●	●	White Light (98ft), 24/7 Color View, Dual-lens, UMD, SIP, People Counting, Dual-way Talk
LPR		PKC2641-Z28-P	4MP	2.8mm-12mm, Motorized	/	/	White Light (164ft), LPR
		PKC2641-Z28-IR-P	4MP		/	/	IR (164ft), LPR
		PKC2641-Z80-P	4MP	8mm-32mm, Motorized	/	/	White Light (164ft), LPR
		PKC2641-Z80-IR-P	4MP		/	/	IR (164ft), LPR
		PKC2641-Z100-P	4MP	10mm-50mm, Motorized	/	/	White Light (164ft), LPR
		PKC2641-Z100-IR-P	4MP		/	/	IR (164ft), LPR
4G		IPC2A14LP-ADF40KC-4G-US	4MP	4.0mm, Fixed	●	●	IR (164ft)+White Light (98ft), UMD, SIP, 4G Network
		IPC2A14LP-ADF60KC-4G-US	4MP	6.0mm, Fixed	●	●	IR (164ft)+White Light (98ft), UMD, SIP, 4G Network
Thermal		TIC3612SA-F2-4F3AC-I1	4MP	2.6mm+2.1mm	●	●	IR (98ft), Starlight, SIP, Dual-spectrum, Fire & Temperature Detection, Smog Recognition
		TIC3612SA-F3-4F4AC-I1	4MP	4mm+3mm	●	●	
		TIC3612SA-F7-4F6AC-I1	4MP	6mm+7mm	●	●	
		TIC2A32SA-F3-4F4AC-I1	4MP	4mm+3.2mm	●	●	IR (131ft), Starlight, SIP, Dual-spectrum, Fire & Temperature Detection, Smog Recognition
		TIC2A32SA-F7-4F6AC-I1	4MP	6mm+7mm	●	●	
		TIC2A32SA-F10-4F8AC-I1	4MP	8mm+10mm	●	●	
		TIC2624S-F10-4F6AC-I3	4MP	6mm+10mm	●	●	IR (164ft), Starlight, SIP, Dual-spectrum, Fire & Temperature Detection, Smog Recognition
		TIC2624S-F25-4F12AC-I3	4MP	12mm+25mm	●	●	
		TIC2624S-F35-4F12AC-I3	4MP	12mm+35mm	●	●	
		TIC2626S-F10-4F4AC-I3	4MP	4mm+10mm	●	●	
		TIC2626S-F25-4F8AC-I3	4MP	8mm+25mm	●	●	
		TIC2626S-F35-4F12AC-I3	4MP	12mm+35mm	●	●	

Series	Image	Model Name	Power	Installation	Features
IP Speaker		IPS301015-S	15W	Indoor	Built in 1 High-quality Speaker, Alarm Broadcast with Uniview NVR, Uploading Custom Audios, Two-way Audio, PoE power supply
		IPS302015-S	15W	Outdoor	
		IPS302030-S	30W	Outdoor	

Note:
UMD: Ultra Motion Detection. Focuses on human and vehicle classification based on motion detection.
LPR: License Plate Recognition.
ASM: Auto Scene Match.
SIP: Smart Intrusion Prevention. Intelligently classifies humans and vehicles based on VCA, including Cross Line Detection, Intrusion Detection, and Enter/Leave Area Detection.
SIP Lite: Intrusion Detection and Cross Line Detection based on human and vehicle classification.
Color Retrieval: Identifies the colors of human upper and lower garments and vehicle body colors.

NVR



Image	Model Name	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res.	Decoding Ability	Features
	NVR501-04B-P4	1 HDD	4-ch	4-ch	1/1	N/A	80Mbps	4K	4 x 4K@30 8 x 4MP@30 16 x 1080P@30	SIP, UMD, POS HDMI and VGA Simultaneous Output
	NVR501-08B-P8		8-ch	8-ch	1/1	N/A	80Mbps	4K		
	NVR501-04B-LP4		4-ch	4-ch	1/1	N/A	80Mbps	4K		
	NVR501-08B-LP8		8-ch	8-ch	1/1	N/A	80Mbps	4K		
	NVR502-08B-P8	2 HDDs	8-ch	8-ch	1/1	8/2	320Mbps	16MP	2 x 16MP@30 2 x 12MP@30 4 x 4K@30 8 x 4MP@30 16 x 1080P@30	SIP, UMD, LPR, POS VGA and HDMI Independent Output Fisheye Dewarping
	NVR502-16B-P16		16-ch	16-ch	1/1	8/2	320Mbps	16MP		
	NVR502-32B-P16		32-ch	16-ch	1/1	8/2	320Mbps	16MP		
	NVR304-16X	4 HDDs	16-ch	N/A	1/1	16/4	384Mbps	12MP	2 x 12MP@30 4 x 4K@30 8 x 4MP@30 16 x 1080p@30	SIP, UMD, LPR, RAID, Fisheye Dewarping, HDMI1, HDMI2, VGA Independent Output (HDMI audio output is not supported)
	NVR304-32X		32-ch	N/A	1/1	16/4	384Mbps	12MP		
	NVR504-16B-P16		16-ch	16-ch	1/1	16/4	320Mbps	16MP	2 x 16MP@30 2 x 12MP@30 4 x 4K@30 8 x 4MP@30 16 x 1080P@30	SIP, UMD, LPR, POS VGA and HDMI Independent Output Fisheye Dewarping
	NVR504-32B-P16		32-ch	16-ch	1/1	16/4	320Mbps	16MP		
	NVR508-16B	8 HDDs	16-ch	N/A	1/1	16/4	320Mbps	16MP	2 x 16MP@30 2 x 12MP@30 4 x 4K@30 8 x 4MP@30 16 x 1080p@30	SIP, UMD, LPR, RAID, POS VGA and HDMI Independent Output Fisheye Dewarping
	NVR508-32B		32-ch	N/A	1/1	16/4	320Mbps	16MP		
	NVR508-64B		64-ch	N/A	1/1	16/4	320Mbps	16MP		
	NVR308-16X		16-ch	N/A	1/1	16/4	384Mbps	12MP	2 x 12MP@30 4 x 4K@30 8 x 4MP@30 16 x 1080p@30	SIP, UMD, LPR, RAID, Fisheye Dewarping, HDMI1, HDMI2, VGA Independent Output (HDMI audio output is not supported)
	NVR308-32X		32-ch	N/A	1/1	16/4	384Mbps	12MP		
	NVR308-64X		64-ch	N/A	1/1	16/4	384Mbps	12MP		
	NVR516-64E-R	16 HDDs	64-ch	N/A	1/2	16/10	640Mbps	32MP	2 x 32MP@30 8 x 4K@30 12 x 5MP@30 16 x 4MP@30 32 x 1080P@30	SIP, UMD, LPR, RAID, N+1 Hot spare, Hotswap, POS Redundant Power Supply, Fisheye Dewarping, VGA1/HDMI1 and VGA2/HDMI2 independent output
	NVR516-128E-R		128-ch	N/A	1/2	16/10	640Mbps	32MP		
	NVR816-64		64-ch	N/A	1/1	24/8	512Mbps	12MP	3 x 12MP@25 4 x 4K@30 16 x 1080P@30	SIP, UMD, LPR, RAID, Hotswap, POS Redundant Power Supply HDMI1, HDMI2, VGA Independent Output, Expansion cabinet
	NVR816-128		128-ch	N/A	1/1	24/8	512Mbps	12MP		
	NVR524-128E	24 HDDs	128-ch	N/A	1/2	16/10	640Mbps	32MP	2 x 32MP@30 8 x 4K@30 12 x 5MP@30 32 x 1080P@30	SIP, UMD, LPR, RAID, N+1 Hot spare, Hotswap, POS Fisheye Dewarping, VGA1/HDMI1 and VGA2/HDMI2 independent output
	NVR524-256E		256-ch	N/A	1/2	16/10	640Mbps	32MP		
	NVR824-128R		128-ch	N/A	1/1	24/8	768Mbps	12MP	3 x 12MP@30 5 x 4K@30 20 x 1080P@30 24 x 1080P@25	SIP, UMD, LPR, RAID, Hotswap, POS Redundant Power Supply HDMI1, HDMI2, VGA Independent Output, Expansion cabinet
	NVR824-256R		256-ch	N/A	1/1	24/8	768Mbps	12MP		
	FB-HD04-B-NB	N/A	4-ch	N/A	N/A	N/A	N/A	16MP	HDMI1 & HDMI2 & HDMI3 & HDMI4: 4x 16MP@30, 8 x 4K@30, 12 x 5MP@30, 16x 4MP@30, 32 x 1080P@30	
	FB-HD07-B-NB	N/A	7-ch	N/A	N/A	N/A	N/A	16MP	HDMI1 & HDMI3& HDMI5& HDMI7: 4x 16MP@30, 8 x 4K@30, 12 x 5MP@30, 16x 4MP@30, 32 x 1080P@30 HDMI2 & HDMI4 & HDMI6: 4x 16MP@30, 8 x 4K@30, 12 x 5MP@30, 16 x 4MP@30, 32 x 1080P@30	
	DEU1016-B	16HDDs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Note:
UMD (Ultra Motion detection, focus on human and vehicle classification with motion detection)
SIP (Smart Intrusion Prevention, intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection)
LPR (License Plate Recognition)
AOC (support audio over coaxial cable)
HBD (Human Body Detection)

Smart NVR



Image	Model Name	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res.	Decoding Ability	Features
	NVR301-04B-LP4-IQ	1 HDD	4-ch	4-ch	1/1	N/A	80Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR301-08B-LP8-IQ		8-ch	8-ch	1/1	N/A	80Mbps	12MP		
	NVR301-16B-LP8-IQ		16-ch	8-ch	1/1	N/A	80Mbps	12MP		
	NVR301-04B-P4-IQ		4-ch	4-ch	1/1	N/A	80Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR301-08B-P8-IQ		8-ch	8-ch	1/1	N/A	80Mbps	12MP		
	NVR301-04B-IQ		4-ch	N/A	1/1	N/A	80Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR301-08B-IQ		8-ch	N/A	1/1	N/A	80Mbps	12MP		
	NVR301-16B-IQ		16-ch	N/A	1/1	N/A	80Mbps	12MP		
	NVR302-08B-P8-IQ	2 HDDs	8-ch	8-ch	1/1	8/2	160Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR302-16B-P16-IQ		16-ch	16-ch	1/1	8/2	160Mbps	12MP		
	NVR302-09B-IQ		9-ch	N/A	1/1	N/A	160Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR302-16B-IQ		16-ch	N/A	1/1	N/A	160Mbps	12MP		
	NVR302-32B-IQ		32-ch	N/A	1/1	N/A	160Mbps	12MP		
	NVR304-16B-P16-IQ	4 HDDs	16-ch	16-ch	1/1	16/4	160Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR304-32B-P16-IQ		32-ch	16-ch	1/1	16/4	160Mbps	12MP		
	NVR304-16B-IQ		16-ch	N/A	1/1	N/A	160Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30	SIP, UMD, LPR, Fisheye Dewarping, POS Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR304-32B-IQ		32-ch	N/A	1/1	N/A	160Mbps	12MP		
	NVR501-04B-LP4-IQ	1 HDD	4-ch	4-ch	1/1	N/A	80Mbps	16MP	2 x 16MP@30 (Smart Off) 4 x 4K@30 8 x 4MP@30 16 x 1080P@30	SIP, UMD, LPR, POS, Fisheye Dewarping Smart by NVR: SIP, UMD HDMI and VGA Simultaneous Output
	NVR501-08B-LP8-IQ		8-ch	8-ch	1/1	N/A	80Mbps	16MP		
	NVR501-04B-IQ		4-ch	N/A	1/1	N/A	80Mbps	16MP		
	NVR501-08B-IQ		8-ch	N/A	1/1	N/A	80Mbps	16MP		
	NVR501-04B-P4-IQ		4-ch	4-ch	1/1	N/A	80Mbps	16MP		
	NVR501-08B-P8-IQ		8-ch	8-ch	1/1	N/A	80Mbps	16MP		
	NVR502-09B-IQ	2 HDDs	9-ch	N/A	1/1	8/2	320Mbps	16MP	2 x 16MP@30 (Smart Off) 2 x 12MP@30 2 x 4K@30 6 x 4MP@30 12 x 1080P@30	SIP, UMD, LPR, POS, Fisheye Dewarping Smart by NVR: SIP, UMD HDMI and VGA Independent Output
	NVR502-16B-IQ		16-ch	N/A	1/1	8/2	320Mbps	16MP		
	NVR502-32B-IQ		32-ch	N/A	1/1	8/2	320Mbps	16MP		
	NVR502-08B-P8-IQ		8-ch	8-ch	1/1	8/2	320Mbps	16MP		
	NVR502-16B-P16-IQ		16-ch	16-ch	1/1	8/2	320Mbps	16MP		
	NVR502-32B-P16-IQ		32-ch	16-ch	1/1	8/2	320Mpbs	16MP		
	NVR504-16B-IQ	4 HDDs	16-ch	N/A	1/1	16/4	320Mbps	16MP	2 x 16MP@30 (Smart Off) 2 x 12MP@30 2 x 4K@30 6 x 4MP@30 12 x 1080P@30	SIP, UMD, LPR, POS, Fisheye Dewarping Smart by NVR: SIP, UMD HDMI and VGA Independent Output
	NVR504-32B-IQ		32-ch	N/A	1/1	16/4	320Mbps	16MP		
	NVR504-16B-P16-IQ		16-ch	16-ch	1/1	16/4	320Mbps	16MP		
	NVR504-32B-P16-IQ		32-ch	16-ch	1/1	16/4	320Mbps	16MP		

Smart NVR



Image	Model Name	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res.	Decoding Ability	Features
	NVR504-32X-IQ	4 HDDs	32-ch	N/A	1/3	16/10	384Mbps	4K	6 x 4K@30 (Smart Off) 10 x 5MP@30 12 x 4MP@30 25 x 1080MP@30	SIP, UMD, LPR, POS, Fisheye Dewarping Smart by NVR: SIP, UMD HDMI1 and VGA Simultaneous Output, HDMI1/VGA and HDMI2 and HDMI3 Independent Output
	NVR504-64X-IQ		64-ch	N/A	1/3	16/10	384Mbps	4K		
	NVR508-32X-IQ	8 HDDs	32-ch	N/A	1/3	16/10	512Mbps	4K		
	NVR508-64X-IQ		64-ch	N/A	1/3	16/10	512Mbps	4K		
	NVR816-64-R-IM2-4G	16 HDDs	64-ch	N/A	1/1	24/8	768Mbps	12MP	3 x 12MP@30 5 x 4K@30 8 x 5MP@25 10 x 4MP@30	SIP, UMD, LPR, RAID, Hotswap, POS Smart by NVR: SIP Redundant Power Supply HDMI1, HDMI2, VGA Independent Output Expansion cabinet
	NVR816-128-R-IM2-8G		128-ch	N/A	1/1	24/8	768Mbps	12MP		
	NVR824-128-R-IM2-8G	24 HDDs	128-ch	N/A	1/1	24/8	768Mbps	12MP	3 x 12MP@30 5 x 4K@30 20 x 1080P@30 24 x 1080P@25	SIP, UMD, LPR, RAID, Hotswap, POS Smart by NVR: SIP Redundant Power Supply HDMI1, HDMI2, VGA Independent Output Expansion cabinet
	NVR824-256-R-IM2-16G		256-ch	N/A	1/1	24/8	768Mbps	12MP		
	NVR824-128-R-IX2-8G		128-ch	N/A	1/1	24/8	768Mbps	12MP	3 x 12MP@30 5 x 4K@30 20 x 1080P@30 24 x 1080P@25	SIP, UMD, LPR, RAID, Hotswap, POS Smart by NVR: SIP Behavior Analysis Redundant Power Supply HDMI1, HDMI2, VGA Independent Output Expansion cabinet
	NVR824-256-R-IX2-16G		256-ch	N/A	1/1	24/8	768Mbps	12MP		

PoE KIT

Image	Model Name	HDD	Video Input	PoE	Audio In/Out	Alarm In/Out	Incoming Bandwidth	Res.	Decoding Ability	Features
	EK-S31P4B44-V3	1 HDD	4-ch	4+1 PoE Kit (Bullet, 4MP, 2.8mm)	0/1	/	64Mbps	4K	1 x 4K@30 1 x 5MP@30 2 x 4MP@30 4 x 3MP@25 4 x 1080p@30	IPC: Cross line, intrusion(based on HBD) NVR: SIP HDMI and VGA Simultaneous Output
	EK-S31P4D44-V3		4-ch	4+1 PoE Kit (Dome, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P4T44-V3		4-ch	4+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P8B46-V3		8-ch	6+1 PoE Kit (Bullet, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P8D46-V3		8-ch	6+1 PoE Kit (Dome, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P8T46-V3		8-ch	6+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P4DLT44-V2	1 HDD	4-ch	4+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30 10 x 1080P@30 16 x 720P@30	IPC: HBD NVR: SIP HDMI and VGA Simultaneous Output
	EK-S31P4DLT44-BK-V2		4-ch	4+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P8DLT46-V2		8-ch	6+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-S31P8DLT46-BK-V2		8-ch	6+1 PoE Kit (Turret, 4MP, 2.8mm)	0/1	/	64Mbps	4K		
	EK-BQ2P16DLT412T4-V2	2 HDDs	16-ch	12+1 PoE Kit (Turret, 4MP, 2.8mm, 4TB HDD included)	1/1	8/2	160Mbps	12MP	2 x 12MP@30 (Smart Off) 2 x 4K@30 4 x 4MP@30 10 x 1080P@30 16 x 720P@30	IPC: HBD NVR: SIP HDMI and VGA Simultaneous Output
	EK-BQ2P16UDLT412T4-V2		16-ch	12+1 PoE Kit (Turret, 4MP, 2.8mm, 4TB HDD included)	1/1	8/2	160Mbps	12MP		

Series	Image	Model Name	Res.	Lens	PoE	MIC	SPK	Features	Bracket
2" Indoor Mini PTZ		IPC6412LR-X5UPW-VG	2MP	5x, 2.7~ 13.5mm	●	●	●	WIFI, IR(98ft), SIP, Starlight	TR-JB07/WM03-F-IN-V2 TR-WM03-B-IN-V2 TR-JB03-H-IN-V2
		IPC6215SR-X5PAEW-VG	5MP	5x, 2.7~ 13.5mm	●	●	●		
3" PTZ Active Deterrence		IPC6322LFW-AX5C-VG	2MP	5x, 2.7~ 13.5mm	●	●	●	IR(164ft), LED(49ft), Strobe Light(Red & Blue light), SIP, People Counting, Auto Tracking, IP66, Metal+Plastic	Built-in Wall Mount TR-JB07-D-IN-V2
		IPC6325LFW-AX5C-VG	5MP	5x, 2.7~ 13.5mm	●	●	●		
		IPC6312LFW-AX5C-VG1	2MP	5x, 2.7~ 13.5mm	●	●	●	IR(164ft), LED(49ft), Strobe Light(Red & Blue light), SIP, Auto Tracking, IP66, Plastic	
		IPC6315LFW-AX5C-VG1	5MP	5x, 2.7~ 13.5mm	●	●	●		
		IPC6314LWH-AX5C-VG2	4MP	5x, 2.7~ 13.5mm	●	●	●	IR(131ft), LED(49ft), SIP, Strobe Light(Red & Blue), Auto Tracking, IP66, Plastic	
		IPC6324LWH-AX5C-VG2	4MP	5x, 2.7~ 13.5mm	●	●	●	IR(131ft), LED(49ft), SIP, Strobe Light(Red & Blue), Auto Tracking, IP66, Metal + Plastic	
3" PTZ		IPC9312LFW-AF28-2X4	Panorama:2MP Detail: 2MP	Fixed lens:2.8mm PTZ: 4x, 2.8~12mm	●	●	●	Panorama-IR(33 ft) Detail-IR(164 ft), LED(33 ft), SIP, Panoramic Linkage	Built-in Wall &Ceiling Mount
4" PTZ		IPC6412LR-X16-VG	2MP	16x, 5 - 80mm	●	/	/	Including Bracket, IR (328ft), SIP, People Counting, Auto Tracking, IP66	Built-in Wall Mount
		IPC6424SR-X25-VF-B	4MP	25x, 4.8~120mm	●	/	/	Including Bracket, IR (328ft), SIP, People Counting, Auto Tracking, IP67, IK10	
		IPC6422SR-X25-VF-B	2MP	25x, 5~125mm	●	/	/		
		IPC6424SR-X25-VF	4MP	25x, 4.8~ 120mm	●	/	/	IR(328ft), SIP, People Counting, Auto Tracking, IP67, IK10	Short: TR-WE45-IN Long: TR-WE45-A-IN
		IPC94144SR-X25-F40C	Panorama: 4MP Detail: 4MP	Fixed lens:4mm PTZ: 25x, 4.8~120mm	●	/	●	Panorama-IR(99 ft) Detail-IR(328 ft), SIP, People Counting, Auto Tracking, IP66, Panoramic Linkage	
		IPC94144SFW-X25-F40C	Panorama: 4MP Detail: 4MP	Fixed lens:4mm PTZ: 25x, 4.8~120mm	●	/	●	Panorama-LED(99 ft) Detail-IR(328 ft), SIP, People Counting, Auto Tracking, IP66, Panoramic Linkage	
		IPC6432LR-X16-VG1	2MP	16x, 5.5~ 88mm	●	/	/	IR(328ft), SIP, Auto Tracking, IP66, IK10	
		IPC6434LR-X16-VG1	4MP	16x, 5.5~ 88mm	●	/	/		
IPC6434LR-X10-VG1		4MP	10x, 5.5~ 55mm	●	/	/			

Series	Image	Model Name	Res.	Lens	PoE	MIC	SPK	Features	Bracket
6" PTZ		IPC6612SR-X25-VG	2MP	25x, 5-125mm	●	/	/	IR(492 ft), SIP, Auto Tracking, IP66	Short: TR-WE45-IN Long: TR-WE45-A-IN
		IPC6612SR-X33-VG	2MP	33x, 4.5-148.5mm	●	/	/		
		IPC6622SR-X25-VD2	2MP	25x, 5-125mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6622SR-X33-VD2	2MP	33x, 4.5~ 148.5mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SR-X25-VD2	4MP	25X, 4.8 ~120 mm	●	/	/	IR(656ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67,IK10	
		IPC6624SR-X33-VD2	4MP	33x, 4.5~ 148.5mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SFW-X25-C-VD2	4MP	25X, 4.8 ~120 mm	●	/	●	IR(656 ft), LED(328 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SFW-X33-C-VD2	4MP	33X, 4.5 ~ 148.5 mm	●	/	●	IR(656 ft), LED(328 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SR-X25-VH2	4MP	25X, 4.8 ~120 mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SR-X33-VH2	4MP	33X, 4.5 ~ 148.5 mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SFW-X25-C-VH2	4MP	25X, 4.8 ~120 mm	●	/	●	IR(656 ft), LED(328 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6624SFW-X33-C-VH2	4MP	33X, 4.5 ~ 148.5 mm	●	/	●	IR(656 ft), LED(328 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6628SR-X25E-VH2	8MP	25X, 6 ~150 mm	●	/	/	IR(656 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
		IPC6628SFW-X25E-C-VH2	8MP	25X, 6 ~150 mm	●	/	●	IR(656 ft), LED(328 ft), SIP, People Counting, Auto Tracking, Wise-ISP, IP67&IK10	
8" PTZ		IPC6852ER-X45-VF	2MP	45x, 5.7-256.5mm	●	/	/	IR(1640ft), SIP, Auto Tracking, People Counting, IP67&IK10	TR-WE45-A-IN
		IPC6824ER-X42-W-VH2	4MP	42x, 6~252mm	●	/	/		
		IPC6858ER-X40-VF	8MP	40x, 5.7~228mm	● (802.3bt)	/	/		
Positioning system		IPC7622ER-X44-VF	2MP	44x, 5~220mm	/	/	/	IR(1312ft), SIP, Rain-sensing Auto Wiper, Optical Defog, Auto Tracking, People Counting, IP67	TR-WM08-B

Note:
SIP (Smart Intrusion Prevention, intelligently classify human and vehicle based on VCA: including Cross Line detection, Intrusion detection, Enter/leave Area detection)

Analog Camera



Image	Model Name	Res.	Lens	Frame Rate	MIC	Features	Bracket
	UAC-B122-AF28(40)M	2MP	2.8mm/4.0mm, Fixed	TVI: 1080P@30fps(default), 720P@30fps AHD: 1080P@30fps, 720P@30fps CVI: 1080P@30fps, 720P@30fps CVBS: 960*480	●	IR (131ft), LightHunter	Junction Box: TR-JB05-A-IN
	UAC-T122-AF28(40)M	2MP	2.8mm/4.0mm, Fixed		●	IR (131ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-D122-AF28(40)M	2MP	2.8mm/4.0mm, Fixed		●	IR (98ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-B125-AF28(40)MS-X	5MP	2.8mm/4.0mm, Fixed	TVI: 5MP@20fps(default), 5MP@12.5fps, 4MP@30fps, 1080P@30fps AHD: 5MP@20fps, 4MP@30fps, 1080P@30fps CVI: 5MP@25fps, 4MP@30fps, 1080P@30fps CVBS: 1200*480	●	IR (131ft), LightHunter	Junction Box: TR-JB05-A-IN
	UAC-T125-AF28(40)MS-X	5MP	2.8mm/4.0mm, Fixed		●	IR (131ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-D125-AF28(40)MS-X	5MP	2.8mm/4.0mm, Fixed		●	IR (98ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-B122-AF28(40)M-W	2MP	2.8mm/4.0mm, Fixed	TVI: 1080P@30fps(default), 720P@30fps AHD: 1080P@30fps, 720P@30fps CVI: 1080P@30fps, 720P@30fps CVBS: 960*480	●	White Light (131ft), 24/7 Color View, ColorHunter	Junction Box: TR-JB05-B-IN
	UAC-T122-AF28(40)M-W	2MP	2.8mm/4.0mm, Fixed		●	White Light (131ft), 24/7 Color View, ColorHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-B125-AF28(40)MS-W-X	5MP	2.8mm/4.0mm, Fixed	TVI: 5MP@20fps(default), 5MP@12.5fps, 4MP@30fps, 1080P@30fps AHD: 5MP@20fps, 4MP@30fps, 1080P@30fps CVI: 5MP@25fps, 4MP@30fps, 1080P@30fps CVBS: 1200*480	●	White Light (131ft), 24/7 Color View, ColorHunter	Junction Box: TR-JB05-B-IN
	UAC-T125-AF28(40)MS-W-X	5MP	2.8mm/4.0mm, Fixed		●	White Light (131ft), 24/7 Color View, ColorHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-B128-ADF28(40)MS	8MP	2.8mm/4.0mm, Fixed	CVI: 4K@15fps(default), 5MP@25fps, 4MP@30fps, AHD: 4K@15fps, 5MP@25fps, 4MP@30fps, TVI: 4K@15fps, 5MP@25fps, 4MP@30fps, CVBS: PAL, NTSC	●	IR (131ft), LightHunter	Junction Box: TR-JB05-B-IN
	UAC-D128-ADF28(40)MS	8MP	2.8mm/4.0mm, Fixed		●	IR (131ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-T128-ADF28(40)MS	8MP	2.8mm/4.0mm, Fixed		●	IR (98ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-T142-AF28M-DL	2MP	2.8mm, Fixed	TVI/AHD/CVI: 1080P@30fps (default TVI), 1080P@30fps, 720P@25fps, 720P@30fps CVBS: PAL, NTSC	●	IR& White light (131ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-JB07/WM03-G-IN-V2, TR-WM03-D-IN-V2
	UAC-B142-AF28M-DL	2MP	2.8mm, Fixed		●		Junction Box: TR-JB05-B-IN
	UAC-T145-AF28MS-DL-X	5MP	2.8mm, Fixed	CVI: 5MP@25fps, 4MP@30fps, 4MP@25fps, AHD: 5MP@20fps, 4MP@30fps TVI: 5MP@20fps (default TVI), 5MP@12.5fps, 4MP@30fps, 4MP@25fps, CVBS: PAL, NTSC	●	IR& White light (131ft), LightHunter	Junction Box: TR-JB03-G-IN Wall Mount: TR-JB07/WM03-G-IN-V2, TR-WM03-D-IN-V2
	UAC-B145-AF28MS-DL-X	5MP	2.8mm, Fixed		●		Junction Box: TR-JB05-B-IN
	UAC-B142-ACF28(40)LM-DL	2MP	2.8mm/4.0mm, Fixed	TVI/AHD/CVI: 1080P@25fps (default TVI), 1080P@30fps, 720P@25fps, 720P@30fps CVBS: PAL, NTSC	●	IR& White light (131ft), LightHunter	Junction Box: TR-JB05-A-IN
	UAC-T142-ACF28(40)LM-DL	2MP	2.8mm/4.0mm, Fixed		●		Junction Box: TR-JB03-I-IN Wall Mount: TR-WM03-D-IN-V2, TR-JB07/WM03-G-IN-V2
	UAC-B312-AZLM	2MP	2.8-12mm, Motorized	TVI/AHD/CVI: 1080P@25fps (default TVI), 1080P@30fps, 720P@25fps, 720P@30fps CVBS: PAL, NTSC	●	IR (164ft), LightHunter	Junction Box: TR-JB05-A-IN
	UAC-D312-AZLM	2MP	2.8-12mm, Motorized		●	IR (98ft), LightHunter	Junction Box: TR-JB03-H-IN-V2 Wall Mount: TR-WM03-B-IN-V2, TR-JB07/WM03-F-IN-V2
	UAC-T312-AZM	2MP	2.8-12mm, Motorized		●	IR (131ft), LightHunter	
	UAC-B315-ADZMS	5MP	2.8-12mm, Motorized	CVI: 5MP@25fps (default), 5MP@20fps TVI/AHD: 5MP@20fps 4MP@25fps CVBS: PAL, NTSC	●	IR (164ft), LightHunter	Junction Box: TR-JB05-A-IN
	UAC-D315-ADZMS	5MP	2.8-12mm, Motorized		●	IR (98ft), LightHunter	Junction Box: TR-JB03-H-IN-V2 Wall Mount: TR-WM03-B-IN-V2, TR-JB07/WM03-F-IN-V2
	UAC-T315-ADZMS	5MP	2.8-12mm, Motorized		●	IR (131ft), LightHunter	

XVR



Appearance	Model Name	HDD	Video Input	Incoming Bandwidth	Res.	Analog Camera Types	Decoding Ability	Feature
	XVR301-04G3	1 HDD	4-ch, BNC 2-ch, IP	24Mbps	5MP	Support AHD, TVI,CVI input: 5MP@20, 4MP@30, 1080P@30, 720P@30 Support CVBS input	Analog: 2x5MP Lite@12, 2 x 4MP Lite@15, 2 x 1080P@15 IP: 1 x 4MP@30, 2 x 1080P@30	AoC Smart Function by XVR: 4-ch(UMD)
	XVR301-08G3		8-ch, BNC 4-ch, IP	40Mbps	5MP	Support AHD, TVI input: 5MP@12, 4MP@15, 1080P@30, 720P@30 Support CVI input: 1080P@30, 720P@30 Support CVBS input	Analog: 4x5MP Lite@6, 4 x 4MP Lite@8, 4 x 1080PLite @12fps IP: 1 x 4MP@30, 2 x 1080P@30	
	XVR301-16G3		16-ch, BNC 8-ch, IP	56Mbps	5MP		Analog: 8x5MP Lite@6, 8 x 4MP Lite@8, 8 x 1080PLite@12 IP: 1 x 8MP@30, 2 x 4MP@30, 4 x 1080P@3	AoC Smart Function by XVR: 8-ch(UMD)
	XVR301-04Q4		4-ch, BNC 2-ch, IP	48Mbps	8MP	Support AHD, TVI, CVI input: 8MP@15(ch1), 5MP@20, 4MP@30, 1080P@30, 720P@30 Support CVBS input	Analog: 4x8MP Lite@8, 4 x 5MP Lite@12, 4 x 4MP Lite@15, 4 x 1080P@15 IP: 1 x 4MP@30, 2 x 1080P@30	AoC Smart Function by XVR: 4-ch(UMD), 2-ch(SIP)
	XVR301-08Q4		8-ch, BNC 4-ch, IP	56Mbps	8MP		Analog: 8x8MP Lite@8, 8 x 5MP Lite@12, 8 x 4MP Lite@15, 8 x 1080P@15 IP: 1 x 8MP@30, 2 x 4MP@30, 4 x 1080P@30	AoC Smart Function by XVR: 8-ch(UMD), 4-ch(SIP)
	XVR301-16Q4		16-ch, BNC 8-ch, IP	80Mbps	8MP		Analog: 16x8MP Lite@8, 16 x 5MP@6, 16 x 4MP@15, 16 x 1080P@15 IP: 2 x 8MP@30, 2 x 5MP@30, 4 x 4MP@30, 8 x 1080P@30	AoC Smart Function by XVR: 16-ch(UMD), 4-ch(SIP)
	XVR302-16Q4	2 HDDs	16-ch, BNC 8-ch, IP	80Mbps	8MP	Support AHD, TVI input: 8MP@15, 5MP@20, 4MP@30, 1080P@30, 720P@30 Support CVI input: 8MP@15, 5MP@25, 4MP@30, 1080P@30, 720P@30 Support CVBS input	Analog: 16x8MP Lite@8, 16 x 5MP Lite@12, 16 x 4MP Lite@15, 16 x 1080P@15, 16 x 720@30 IP: 24 x D1@30, 16 x 720P@30, 8 x 1080P@30	AoC Smart Function by XVR: 16-ch(UMD), 4-ch(SIP)
	XVR302-32Q4		32-ch, BNC 4-ch, IP	80Mbps	8MP		Analog: 16 x 8MP Lite@8, 16 x 5MP Lite@12, 16 x 4MP Lite@15, 16 x 1080P@15 IP: 8 x 1080P@30, 4 x 4MP@30, 2 x 8MP@30	AoC Smart Function by XVR: 16-ch(UMD), 8-ch(SIP)
	XVR304-32Q3	4 HDDs	32-ch, BNC 4-ch, IP	160Mbps	8MP	Support AHD, TVI input: 8MP@15, 5MP@20, 4MP@30, 1080P@30, 720P@30 Support CVI input: 8MP@15, 5MP@25, 4MP@30, 1080P@30, 720P@30 Support CVBS input	Analog: 32 x 8MP Lite@8, 32 x 5MP Lite@12, 32 x 4MP Lite@15, 32 x 1080P@25 IP: 2 x 8MP@30, 4 x 4MP@30, 8 x 1080P@30	AoC Smart Function by XVR: 16-ch(UMD), 8-ch(SIP)
	XVR308-32Q3	8 HDDs	32-ch, BNC 4-ch, IP	160Mbps	8MP			
	XVR301-04U3	1 HDD	4-ch, BNC 4-ch, IP	48Mbps	8MP	Support AHD, TVI input: 8MP@15, 5MP@20, 4MP@30, 1080P@30, 720P@30 Support CVI input: 8MP@15, 5MP@25, 4MP@30, 1080P@30, 720P@30 Support CVBS input	Analog: 4 x 8MP @8, 4 x 5MP @12, 4 x 4MP @15, 4 x 1080P@25 IP: 4 x 1080P@30, 2 x 4MP@30, 1 x 8MP@30	AoC Smart Function by XVR: 4-ch(UMD), 2-ch(SIP)
	XVR302-08U3	2 HDDs	8-ch, BNC 8-ch, IP	80Mbps	8MP		Analog: 8 x 8MP @8, 8 x 5MP @12, 8 x 4MP @15, 8 x 1080P@25 IP: 8 x 1080P@30, 4 x 4MP@30, 2 x 8MP@30	AoC Smart Function by XVR: 8-ch(UMD), 4-ch(SIP)
	XVR302-16U3		16-ch, BNC 16-ch, IP	112Mbps	8MP			AoC Smart Function by XVR: 16-ch(UMD), 8-ch(SIP)

Note:
UMD (Ultra Motion detection, focus on human and vehicle classification with motion detection)
AoC (Support audio over coaxial cable)

IPC Bracket

Bullet



IPC2124SR-ADF28(40)KM-H3(H)
IPC2125SR-ADF28(40)KM-H3(H)
IPC2128SR-ADF28(40)KM-H3(H)

IPC2322SR5-ADZK-H
IPC2324SR5-ADZK-H
IPC2325SR5-ADZK-H

IPC23145B-ADF40(60)KM-I0
IPC23155B-ADF40(60)KM-I0

IPC2105SB-ADF16KM-I0
IPC2108SB-ADF16KM-I0

IPC2124SB-ADF28(40)KMC-I0
IPC2125SB-ADF28(40)KMC-I0
IPC2128SB-ADF28(40)KMC-I0

IPC2314SR-ADF28(40)KM-WP
IPC2318SR-ADF28(40)KM-WP

IPC2124SR-ADF28(40)KMC-DL-H
IPC2128SR-ADF28(40)KMC-DL-H

IPC2124SB-ADF28(40)KMC-I1
IPC2128SB-ADF28(40)KMC-I1

Installation

Junction box	Pole mount	Corner mount	Electric-box Transfer plate

Dome(Turret)



IPC3225S-ADF28K-I1
IPC3245S-ADF28K-I1
IPC3255S-ADF28K-I1
IPC3285S-ADF28K-I1
IPC3614SR-ADF28(40)KMC-DL-H
IPC3618SR-ADF28(40)KMC-DL-H
IPC3614SR-ADF28(40)KM-H3(H)
IPC3618SR-ADF28(40)KM-H3(H)
IPC324SR-ADF28(40)KM-H3(H)
IPC325SR-ADF28(40)KM-H3(H)
IPC328SR-ADF28(40)KM-H3(H)

IPC3245B-DF28(40)K-I0
IPC3255B-DF28(40)K-I0
IPC3285B-ADF28(40)K-I0
IPC3245B-ADF28(40)K-DL-I1
IPC3265B-ADF28(40)K-DL-I1
IPC3285B-ADF28(40)K-DL-I1
IPC36145B-ADF28(40)KM-I0
IPC36155B-ADF28(40)KM-I0
IPC36185B-ADF28(40)KM-I0
IPC36145B-ADF28(40)KM-DL-I1
IPC36165B-ADF28(40)KM-DL-I1
IPC36185B-ADF28(40)KM-DL-I1
IPC3145B-ADF28KMC-DL-I1
IPC3185B-ADF28KMC-DL-I1

IPC3545B-ADNF28K-I0
IPC36055B-ADF16KM-I0
IPC36085B-ADF16KM-I0

IPC36145B-ADF28(40)KMC-I0
IPC36155B-ADF28(40)KMC-I0
IPC36185B-ADF28(40)KMC-I0
IPC36145B-ADF28(40)KMC-I1
IPC36165B-ADF28(40)KMC-I1
IPC36185B-ADF28(40)KMC-I1

*IPC3624SR-ADF28(40)KM-WP
*IPC3628SR-ADF28(40)KM-WP (TR-JB03-I-IN)

Installation

Wall mount	Wall mount with junction box	Pole mount	Corner mount

Junction box	Pendent mount	Tilted mounting	Electric-box Transfer plate

Dome(Turret)



IPC3632SR4-ADZK-H
IPC3634SR4-ADZK-H
IPC3635SR4-ADZK-H
IPC3532SR4-ADZK-H
IPC3534SR4-ADZK-H
IPC3535SR4-ADZK-H
IPC36345S-ADF28KMC-I1
IPC36355S-ADF28KMC-I1
IPC36385S-ADF28KMC-I1
IPC36345B-ADZK-I0
IPC36355B-ADZK-I0
IPC36385B-ADZK-I0
IPC36345B-ADZKM-DL-I1
IPC36355B-ADZKM-DL-I1
IPC36385B-ADZKM-DL-I1
IPC35345B-ADNZK-I0
IPC36345E-ADZK-WL-I0
IPC3524SR-ADF28KM-WP
IPC3528SR-ADF28KM-WP
IPC36145S-ADF28K-I1
IPC36155S-ADF28K-I1
IPC36185S-ADF28K-I1
IPC36345S-ADF28K-I1
IPC36355S-ADF28K-I1
IPC36385S-ADF28K-I1
IPC36345E-ADF28(40)K-WP-I1
IPC36385E-ADF28(40)K-WP-I1
IPC35155S-ADF28K-I1-HI
IPC3K28SE-ADF28KMC-DL-I0
IPC36345E-ADF28(40)KMC-WP-I1
IPC36385E-ADF28(40)KMC-WP-I1
IPC36345E-ADZKMC-WP-I1
IPC36385E-ADZKMC-WP-I1

Installation

Wall mount	Wall mount with junction box	Pole mount	Corner mount

Junction box	Pendent mount



IPC Bracket

Bullet



IPC21245B-ADF28(40)KM-I0
IPC21255B-ADF28(40)KM-I0
IPC21285B-ADF28(40)KM-I0
IPC21245B-ADF28(40)KM-DL-I1
IPC21255B-ADF28(40)KM-DL-I1
IPC21285B-ADF28(40)KM-DL-I1

Installation

Junction box	Pole mount	Corner mount	Electric-box Transfer plate

Bullet



IPC23245B-DZK-I0
IPC23255B-DZK-I0
IPC23285B-DZK-I0

IPC22245E-DF40K-WL-I0

IPC2B125S-ADF28K-I1
IPC2B155S-ADF28K-I1
IPC2B185S-ADF28K-I1

IPC2B145S-ADF28KMC-I1
IPC2B155S-ADF28KMC-I1
IPC2B185S-ADF28KMC-I1

IPC2K245E-ADF40KMC-WL-I0
IPC2K285E-ADF40KMC-WL-I0

IPC2B145E-ADF28(40)K-WP-I1
IPC2B185E-ADF28(40)K-WP-I1

IPC2B145E-ADZKMC-WP-I1
IPC2B185E-ADZKMC-WP-I1

Junction box	Pole mount

Corner mount

Dome



IPC32345B-ADZK-I0
IPC32355B-ADZK-I0
IPC32385B-ADZK-I0
IPC32345B-ADZKM-DL-I1
IPC32365B-ADZKM-DL-I1
IPC32385B-ADZKM-DL-I1

Installation

Wall mount	Wall mount with junction box	Pole mount	Corner mount

Junction box	Pendent mount	In-ceiling mount	Electric-box Transfer plate

Fisheye



IPC8165B-ADF16KMC-I1
IPC86CEB-AF18KC-I0

Installation

Junction box	Pendent mount

IPC Bracket



LPR


Built-in junction box


Built-in junction box

PKC2641-Z28-P
PKC2641-Z28-IR-P
PKC2641-Z80-P
PKC2641-Z80-IR-P
PKC2641-Z100-P
PKC2641-Z100-IR-P

+


TR-UP06-C-IN-V2
Pole mount


No accessories required
Wall mount


No accessories required
Ceiling mount


TR-UC08-C-V2
Corner mount

Dual-lens Dome



IPC3222SS-ADF28(40)K-I1
IPC3224SS-ADF28(40)K-I1

+


TR-JB07/WM03-H-IN-V2
Optional
Wall mount with junction box


TR-A01-IN
Optional
Pole mount


TR-WM03-E-IN-V2
Optional
Corner mount


TR-UP06-C-IN-V2
Optional
Pole mount


TR-WM03-E-IN-V2
Optional
Corner mount


TR-UC08-C-V2
Optional
Corner mount


TR-JB08
Optional
Junction box


TR-A01-IN
Optional
Pendent mount


TR-JB08
Optional
Pendent mount


TR-CM24-IN
Optional
Pendent mount


TR-SE24-IN
Optional
Pendent mount


TR-SE24-A-IN
Optional
Pendent mount

Turret


Built-in junction box

IPC3632SS-ADZK-I1
IPC3634SS-ADZK-I1
IPC3635SS-ADZK-I1

+


TR-WM03-B-IN-V2
Optional
Pole mount


TR-UP06-C-IN-V2
Optional
Corner mount


TR-WM03-B-IN -V2
Optional
Corner mount


TR-UC08-C-V2
Optional
Pendent mount


TR-CM24-IN
Optional
Pendent mount


TR-SE24-IN
Optional
Pendent mount


TR-SE24-A-IN
Optional
Pendent mount

Dome


Built-in junction box

IPC3732SS-ADZK-I1
IPC3734SS-ADZK-I1
IPC3735SS-ADZK-I1

+


TR-WM04-IN-V2
Optional
Pole mount


TR-UP06-C-IN-V2
Optional
Corner mount


TR-WM04-IN-V2
Optional
Corner mount


TR-UC08-C-V2
Optional
Pendent mount


TR-CM24-IN
Optional
Pendent mount


TR-SE24-IN
Optional
Pendent mount


TR-SE24-A-IN
Optional
Pendent mount

Bullet


Built-in junction box

IPC2B22SS-ADZK-I1
IPC2B24SS-ADZK-I1
IPC2B25SS-ADZK-I1

+


TR-UP06-C-IN-V2
Pole mount


TR-UC08-C-V2
Corner mount

IPC Bracket



4-lens Dome



IPC8645EA-ADZKM-I1

+


TR-UF45-K-IN
Pendant mount


TR-CE45-IN
Pendant mount


TR-UF45-K-IN
Wall mount


TR-WE45-A-IN
Wall mount


TR-WE45-B-IN
Wall mount

PTZ Bracket

PTZ



IPC6412LR-X5UPW-VG
IPC6215SR-X5PAEW-VG

+


TR-WM03-B-IN-V2
Wall mount


TR-JB07
Optional
Wall mount with junction box


TR-A01-IN
Optional
Pole mount


TR-WM03 -B-IN-V2
Optional
Pole mount


TR-JB07/
WM03-G-IN-V2
Optional
Pole mount


TR-UP06-C-IN-V2
Optional
Pole mount


TR-WM03 -B-IN-V2
Optional
Corner mount


TR-JB07/
WM03-G-IN-V2
Optional
Corner mount


TR-UC08-C-V2
Optional
Corner mount


TR-JB03-H-IN-V2
Optional
Junction box


TR-A01-IN
Optional
Pendent mount


TR-JB03-H-IN-V2
Optional
Pendent mount


TR-CM24-IN
Optional
Pendent mount


TR-SE45-IN
Optional
Pendent mount


TR-SE45-A-IN
Optional
Pendent mount


TR-WE45-A-IN
Optional
Wall mount (Longer bracket)


TR-WE45-B-IN
Optional
Wall mount (Swan neck bracket)


TR-CE45-IN
Optional
Pendent mount


TR-WE45-IN
Optional
Pole mount


TR-WE45-A-IN
Optional
Pole mount


TR-JB12-IN
Optional
Pole mount


TR-UP08-A-IN(Steel)
Optional
Pole mount


TR-UP08-B-IN(Al Alloy)
Optional
Pole mount


TR-WE45-IN
Optional
Pole mount


TR-WE45-A-IN
Optional
Pole mount



TR-JB12-IN
Optional
Pole mount


TR-UC08-A-IN(Steel)
Optional
Pole mount


TR-UC08-B-IN(Al Alloy)
Optional
Pole mount


TR-UF45-A-IN
Optional
Pendent mount


TR-SE45-IN
Optional
Pendent mount


TR-SE45-A-IN
Optional
Pendent mount

IPC6622SR-X25-VD2
IPC6622SR-X33-VD2
IPC6624SR-X25-VD2
IPC6624SR-X33-VD2
IPC6624SF-W-X25-C-VD2
IPC6624SF-W-X33-C-VD2
IPC6624SR-X25-VH2
IPC6624SR-X33-VH2
IPC6624SF-W-X25-C-VH2
IPC6624SF-W-X33-C-VH2
IPC6628SR-X25E-VH2
IPC6628SF-W-X25E-C-VH2

IPC6612SR-X25-VG
IPC6612SR-X33-VG

IPC6634S-X33-VF

IPC94144SF-W-X25-F40C
IPC94144SR-X25-F40C

IPC6424SR-X25-VF
IPC6412LR-X16-VG
IPC6422SR-X25-VF
IPC6424SR-X25-VF

PTZ Bracket



PTZ

Installation

Optional

TR-JB07-D-IN-V2 TR-A01-IN TR-UP06-B-IN TR-JB07-D-IN-V2 TR-UP06-C-IN-V2 TR-JB07-D-IN-V2 TR-UC08-C-V2 TR-CM06-D

Junction box Pole mount Pole mount Corner mount Pendant mount

Optional

TR-WE45-A-IN TR-JB12-IN TR-WE45-B-IN TR-WE45-A-IN TR-JB12-IN TR-UP08-A-IN(Steel) TR-UP08-B-IN(AI Alloy) TR-CE45-IN

Wall mount (Longer bracket) Wall mount (Swan neck bracket) Pole mount Pendant mount

Optional

TR-WE45-A-IN TR-JB12-IN TR-UC08-A-IN(Steel) TR-UC08-B-IN(AI Alloy) TR-UF45-A-IN TR-SE45-IN TR-SE45-A-IN

Pole mount Pendant mount

Wall mount Ceiling mount

TR-WM08-B

Wall mount

Optional

TR-UF45-F-IN or TR-UF45-L-IN TR-WE45-IN TR-JB12-IN TR-UF45-F-IN or TR-UF45-L-IN TR-WE45-B-IN TR-UF45-F-IN or TR-UF45-L-IN TR-WE45-IN TR-JB12-IN TR-UP08-B-IN (AI Alloy)

Wall mount (Longer bracket) Wall mount (Swan neck bracket) Pole mount

Optional

TR-UF45-F-IN or TR-UF45-L-IN TR-WE45-IN TR-JB12-IN TR-UC08-B-IN(AI Alloy) TR-JB04-D-IN or TR-JB04-E-IN TR-CE45-IN TR-SE45-IN TR-SE45-A-IN TR-FM180-IN

Pole mount Pendant mount In-ceiling mount

Software



UniEase



UniEase is a mobile application designed for small and medium-sized video AIoT solutions. It features a fresh visual design, a simple interface, easy operations, and is suitable for a wide range of scenarios such as supermarkets, restaurants, and offices.

UniTools Pro, a comprehensive IoT solution, stands to revolutionize operations and maintenance in managing IoT infrastructures. This all-in-one solution integrates live surveillance, audio-video stream, device control, project synchronization, troubleshooting, and remote configuration.

UniTools Pro



EZStation



EZStation is a video management software designed for small and medium-size video surveillance. It is easy to deploy and operate, suitable for applications such as supermarkets, chain stores, and residential areas. It can connect up to 64 local/cloud devices and 512 local/cloud channels without any license fee.
Download Link:
<https://global.uniview.com/Products/Software/PC/EZStation/>

EZTools is a C/S client tool which can add devices to the management list. It is designed for batch management and configuration of Uniview devices such as IPCs and NVRs. It allows users to add devices to the management list and perform operations such as batch configuration, capacity calculation, and batch upgrades.
Download Link:
https://global.uniview.com/Support/Download_Center/-Maintenance/

EZTools



*All software is free of charge.